

WHITE BODY

PORCELAIN TILES

600X600 mm



7001

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7002

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7003

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7004

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7005

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7006

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7007

WOODEN SERIES





WHITE BODY


PORCELAIN TILES

600X600 mm



7008

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7009

WOODEN SERIES





WHITE BODY


PORCELAIN TILES

600X600 mm



7010

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7011

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7012

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7013

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7015

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7016

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7017

WOODEN SERIES





WHITE BODY


PORCELAIN TILES

600X600 mm



7018

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7019

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7020

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7021

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7022

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7023

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7024

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7025

WOODEN SERIES






WHITE BODY

PORCELAIN TILES

600X600 mm



7026

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7027

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7028

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7029

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7030

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7031

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7033

WOODEN SERIES





WHITE BODY


PORCELAIN TILES

600X600 mm



7034

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7035

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7036

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7037

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7038

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7039





WHITE BODY

PORCELAIN TILES

600X600 mm



7041

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7042

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7043

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7044

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7045

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7046

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7047

WOODEN SERIES





WHITE BODY



PORCELAIN TILES

600X600 mm



7048

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7049

WOODEN SERIES





WHITE BODY

PORCELAIN TILES

600X600 mm



7050

WOODEN SERIES





# TECHNICAL SPECIFICATION

Particulars	Standard as per ISO 13006/EN 176	OUR VALUE	METHOD OF TESTING
Deviation in length	± 0.50%	± 0.3%	EN 98
Deviation in Thickness	± 5%	± 3%	EN 98
Straightness Of Sides	± 0.5%	± 0.3%	EN 98
Rectangularity	± 0.6%	± 0.3%	EN 98
Surface Flatness	± 0.5%	± 0.3%	EN 98
Water Absorption	< 3	3 < 4	ISO 10945.3 EN 98
Mohs Hardness	> 5	> 5	EN 101
Flexural Strength	> 35 N/Sq.mm	> 39 N/Sq.mm	—
Abrasion Resistance	As specified by Manufacturer	PE   3	ISO 10545.6 EN 102
Frost Resistance	Frost Proof	Frost Proof	ISO 10534 - 11
Chemical Resistance	No Damage	No Damage	ISO 10534 - 18
Thermal Shock Resistance	No Damage	No Damage	ISO 10545 - 9
Colour Resistance	No Damage	No Damage	—
Stain Resistance	Resistance	Stain Proof	ISO 10545 - 14
Moisture Expansion	NIII	NIII	ISO 10545 - 10
Crazing Resistance	Min 2 Cycle	Min 4 Cycle	—

Note : Colour Shown are as accurate as the limitations of the printing process will allow. Prospective Customer Are advised to inspect a sample of the tiles before ordering every effort has been made to ensure the Accuracy of the information given. However, the Company reserves the right to change the specifications without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advice you to follow the fixing Instruction on the cartons of the tiles as on responsibility can be accepted by the company once the tiles have been fixed.

## PACKING DETAIL

Size	Thickness	No. of Tiles	Area Approx.	Weight Approx.
600 X 600 MM	9 MM	4 Pcs.	1.44 Sq. Mtr.	25.5 Kg.

## UTILITY OF FLOOR TILES

